



Cotton Core Candlewick

Fil-Tec's cored wick features an open construction design enabling better capillary flow of more difficult wax blends such as vegetable or soy based and heavily scented or colored paraffin.

WICK & PART NUMBER	FLAME HEIGHT	RATE OF CONSUMPTION	POOL DIAMETER	WICK YIELD
Cotton Core FT 1.405 Part # 54580	.74 inch 1.9 cm	2.7 grams / hour	1.405 inch 3.6 cm	2359 yards / lb. 4755 meters / kg.
Cotton Core FT 1.434 Part # 54628	.74 inch 1.9 cm	2.9 grams / hour	1.434 inch 3.6 cm	1322 yards / lb. 2663 meters / kg.
Cotton Core FT 1.600 Part # 54610	.97 inch 2.5 cm	3.4 grams / hour	1.600 inch 4.1 cm	1262 yards / lb. 2542 meters / kg.
Cotton Core FT 1.705 Part # 54018	1.03 inch 2.6 cm	4.0 grams / hour	1.705 inch 4.3 cm	1230 yards / lb. 2478 meters / kg.
Cotton Core FT 1.832 Part # 54013	1.21 inch 3.1 cm	4.6 grams / hour	1.832 inch 4.7 cm	1019 yards / lb. 2053 meters / kg.
Cotton Core FT 2.000 Part # 54014	1.34 inch 3.4 cm	5.6 grams / hour	2.000 inch 5.1 cm	775 yards / lb. 1562 meters / kg.
Cotton Core FT 2.164 Part # 54010	1.7 inch 4.3 cm	6.3 grams / hour	2.164 inch 5.50 cm	504 yards / lb. 1016 meters / kg.
Cotton Core FT 2.206 Part # 54582	1.9 inch 4.8 cm	6.3 grams / hour	2.206 inch 5.60 cm	378 yards / lb. 762 meters / kg.
Cotton Core FT 2.283 Part # 54007	1.9 inch 4.8 cm	6.9 grams / hour	2.283 inch 5.8 cm	459 yards / lb. 925 meters / kg.
Cotton Core FT 2.402 Part # 54008	2.1 inch 5.3 cm	7.5 grams / hour	2.402 inch 6.1 cm	378 yards / lb. 762 meters / kg.
Cotton Core FT 2.592 Part # 54037	2.1 inch 5.3 cm	8.8 grams / hour	2.592 inch 6.6 cm	270 yards / lb. 544 meters / kg.
Cotton Core FT 2.672 Part # 54039	2.4 inch 6.1 cm	8.7 grams / hour	2.672 inch 6.8 cm	267 yards / lb. 538 meters / kg.
Cotton Core FT 2.775 Part # 54086	2.2 inch 5.6 cm	7.8 grams / hour	2.775 inch 7.0 cm	258 yards / lb. 520 meters / kg.

Our product description is very "user-friendly". The description represents the 2 hour pool diameter in a 140° melt point straight cut paraffin wax. This method allows the user to easily compare wick size and performance. This chart provides the candle maker a starting point for wick selection. Your wick selection will depend on wax blend, color and scent additives.

3/5/2010

FIL-TEC Inc. P.O. Box B Hagerstown, Maryland 21741-1191 USA

Phone: 301-824-6166 Fax: 301-824-1125